
OBLON, SPIVAK, ET AL DOCKET #: 217663US2 INV: Daisuke KITAZAWA, et al. SHEET 1_ OF 16_

FIG.1



OBLON, SPIVAK, ET AL DOCKET #: 217663US2 INV: Daisuke KITAZAWA, et al. SHEET 2 OF 16

FIG.2






FIG.3A




OBLON, SPIVAK, ET AL DOCKET #: 217663US2 INV: Daisuke KITAZAWA, et al. SHEET 3_OF_16_

FIG.4A




OBLON, SPIVAK, ET AL DOCKET #: 217663US2 INV: Daisuke KITAZAWA, et al. SHEET 4 OF 16

FIG.5




ат III т. П

FIG.6




OBLON, SPIVAK, ET AL DOCKET #: 217663US2 INV: Daisuke KITAZAWA, et al. SHEET 6 OF 16




OBLON, SPIVAK, ET AL DOCKET #: 217663US2 INV: Daisuke KITAZAWA, et al. SHEET 7_OF_16_

FIG.8



OBLON, SPIVAK, ET AL DOCKET #: 217663US2 INV: Daisuke KITAZAWA, et al. SHEET 8 OF 16

FIG.9



are approximately

OBLON, SPIVAK, ET AL DOCKET #: 217663US2 INV: Daisuke KITAZAWA, et al. SHEET 9 OF 16






FIG.11



OBLON, SPIVAK, ET AL DOCKET #: 217663US2 INV: Daisuke KITAZAWA, et al. SHEET 11 OF 16

FIG.12



: CONNECTION REQUEST OF TERMINAL / SESSION

T: COMMUNICATION QUALITY OBSERVATION SECTION SPAN

new appointment

OBLON, SPIVAK, ET AL DOCKET #: 217663US2 INV: Daisuke KITAZAWA, et al. SHEET 12 OF 16






FIG.14



OBLON, SPIVAK, ET AL DOCKET #: 217663US2 INV: Daisuke KITAZAWA, et al. SHEET 14 OF 16


FIG. 15



dli ... is

OBLON, SPIVAK, ET AL DOCKET #: 217663US2 INV: Daisuke KITAZAWA, et al. SHEET <u>15</u> OF <u>16</u>

FIG.16



nga - 133 - 17

FIG.17

